




ALLOY EYE HOIST HOOKS - IMPORTED


Size (WLL)*	Dimensions in Inches										Approx. Wt. Ea. in Lbs.
	A	B	C	D	E	F	G	H	J	K	
1 Ton	1.5	0.75	0.38	0.88	0.63	0.94	2.88	0.75	4.38	3.25	0.6
1 1/2 Tons	1.75	0.88	0.44	1	0.69	1.06	3.13	0.81	4.88	3.63	0.82
2 Tons	2	1.13	0.44	1.19	0.81	1.06	3.5	1	5.5	4.13	1.44
3 Tons	2.38	1.25	0.59	1.38	0.94	1.22	3.94	1.19	6.31	4.56	1.94
5 Tons	3	1.56	0.69	1.63	1.19	1.5	5	1.5	7.94	5.75	3.94
7 Tons	3.81	2	0.88	2.06	1.5	1.88	6.25	1.75	10	7.38	7.75
11 Tons	4.69	2.44	1.13	2.63	1.63	2.25	7.56	2.25	12.44	9.06	15.4
15 Tons	5.37	2.84	1.26	2.94	2.19	2.51	8.3	2.59	13.93	10.07	22.2
22 Tons	6.64	3.5	1.58	3.5	2.69	3.3	10.3	3	17.08	12.5	37.6



⚠ Never Exceed Working Load Limit

SWIVEL HOOKS - IMPORTED


Size - W.L.L. (tons)	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	F (in.)	G (in.)	H (in.)	Wt. (lbs.)
3 ton	3	1.5	1.75	3.99	6.5	8.25	1.22	0.94	2.77
4 1/2 ton	3.5	1.64	2	4.34	7.5	9.69	1.5	1.19	4.96
7 ton	4.5	2.29	2.5	6.27	9.66	12.44	1.88	1.5	10.29



⚠ Never Exceed Working Load Limit

SORTING HOOKS - IMPORTED


Working Load Limit, 2 1/2 from tip		2 Tons
Working Load Limit, at bottom		7 1/2 Tons
Approximate Weight Each		7.75 Pounds
Overall Length	L	9.69 in.
I.D. of Eye	A	1.38 in.
Opening at top of Hook	O	2.81 in.
Radius at Bottom of Hook	R	.63 in.



⚠ Never Exceed Working Load Limit

SNAP HOOKS - IMPORTED

Size	Working Load Limit in Pounds	Dimensions In Inches							Weight Each in Lbs.
		A	C	D	E	F	G	H	
7/16 in.	750	0.28	0.72	0.58	2.05	0.74	3.18	4.06	0.42
9/16 in.	1000	0.34	0.76	0.55	2.16	0.88	3.86	4.76	0.53




⚠ Never Exceed Working Load Limit



GRADE 43 EYE SLIP HOOKS - ZINC PLATED

Size	Working Load Limit in Pounds	Approx. Wt. Each in Pounds	Dimensions in Inches			
			A	B	C	D
1/4 in.	2600	0.36	0.5		0.69	2.00
5/16 in.	3900	0.6	0.75		1.00	2.56
3/8 in.	5400	0.91	0.75		1.06	3.00
1/2 in.	9200	1.94	1.06		1.38	4.13


Never Exceed Working Load Limit



GRADE 43 EYE GRAB HOOKS - ZINC PLATED

Size	Working Load Limit in Pounds	Approx. Wt. Each in Pounds	Dimensions in Inches			
			A	B	C	D
1/4 in.	2600	0.3	0.5		0.31	1.88
5/16 in.	3900	0.57	0.56		0.44	2.25
3/8 in.	5400	0.95	0.69		0.50	2.56
1/2 in.	9200	2.14	0.88		0.59	3.50


Never Exceed Working Load Limit



GRADE 43 CLEVIS SLIP HOOKS - ZINC PLATED

Size	Working Load Limit in Pounds	Approx. Wt. Each in Pounds	Dimensions in Inches			
			A	B	C	D
1/4 in.	2600	0.58	0.38	0.38	0.88	2.56
5/16 in.	3900	0.86	0.44	0.44	1.00	2.81
3/8 in.	5400	1.4	0.56	0.56	1.28	3.25
1/2 in.	9200	2.2	0.63	0.63	1.38	4.00


Never Exceed Working Load Limit



GRADE 43 CLEVIS GRAB HOOKS - ZINC PLATED

Size	Working Load Limit in Pounds	Approx. Wt. Each in Pounds	Dimensions in Inches			
			A	B	C	D
1/4 in.	2600	0.43	0.38	0.38	0.34	1.94
5/16 in.	3900	0.72	0.44	0.44	0.41	2.38
3/8 in.	5400	1.15	0.56	0.47	0.50	2.63
1/2 in.	9200	2.35	0.69	0.63	0.66	3.50
5/8 in.	11500	4.1	0.81	0.63	0.81	4.19

Never Exceed Working Load Limit






GRADE 70 CLEVIS SLIP HOOKS - SELF-COLORED



Size	Working Load Limit in Pounds	Approx. Wt. Each in Pounds	Dimensions in Inches			
			A	B	C	D
1/4 in.	2600	0.58	0.38	0.38	0.88	2.56
5/16 in.	3900	0.86	0.44	0.44	1.00	2.81
3/8 in.	5400	1.4	0.56	0.56	1.28	3.25
1/2 in.	9200	2.2	0.63	0.63	1.38	4.00




Never Exceed Working Load Limit

GRADE 70 CLEVIS GRAB HOOKS - SELF-COLORED




Size	Working Load Limit in Pounds	Approx. Wt. Each in Pounds	Dimensions in Inches			
			A	B	C	D
1/4 in.	2600	0.43	0.38	0.38	0.34	1.94
5/16 in.	3900	0.72	0.44	0.44	0.41	2.38
3/8 in.	5400	1.15	0.56	0.47	0.50	2.63
1/2 in.	9200	2.35	0.69	0.63	0.66	3.50
5/8 in.	11500	4.1	0.81	0.63	0.81	4.19



Never Exceed Working Load Limit

GRADE 70 CLEVIS SLIP HOOKS - YELLOW CHROMATE


Size	Working Load Limit in Pounds	Approx. Wt. Each in Pounds	Dimensions in Inches			
			A	B	C	D
1/4 in.	2600	0.58	0.38	0.38	0.88	2.56
5/16 in.	3900	0.86	0.44	0.44	1.00	2.81
3/8 in.	5400	1.4	0.56	0.56	1.28	3.25
1/2 in.	9200	2.2	0.63	0.63	1.38	4.00



Never Exceed Working Load Limit

GRADE 70 CLEVIS GRAB HOOKS - YELLOW CHROMATE

Size	Working Load Limit in Pounds	Approx. Wt. Each in Pounds	Dimensions in Inches			
			A	B	C	D
1/4 in.	2600	0.43	0.38	0.38	0.34	1.94
5/16 in.	3900	0.72	0.44	0.44	0.41	2.38
3/8 in.	5400	1.15	0.56	0.47	0.50	2.63
1/2 in.	9200	2.35	0.69	0.63	0.66	3.50
5/8 in.	11500	4.1	0.81	0.63	0.81	4.19



Never Exceed Working Load Limit